



Intertek

This is a certificate of compliance to certify that the bearer has successfully completed the requirements of the above scheme which include the testing of products, the initial assessment, and are subject to continuing annual assessments of their compliance and testing of samples of products taken from production (as applicable to the scheme) and has been registered within the scheme for the products detailed.

Certificate of Compliance

You have been awarded:

Intertek ETL US Mark for Wall Assemblies, Other Products

Standards: ASTM E119 (2020), ASTM E136 (2019), ASTM C1396/C1396M (2017)

Certificate number: WHI21-35441502

Organization: DALSAN ALCI SAN. VE TIC A.S Kizilcasar Mah. 1184.Cadde No:22/1 Incek/Golbasi

Ankara 06830

Turkey

Product: DALSAN COREX Type X Gypsum Boards

Spec ID: 60714

Fire Rating: 1 Hour Fire Rating

Listing Information: See following page(s)

Certification body: Intertek Testing Services NA, Inc.

Initial registration: March 08, 2021 Date of expiry: December 31, 2022

Issue status: 3

Authorized By:

Jean-Philippe Kayl, Director of Certification

Intertek Testing Services NA, Inc. 545 E. Algonquin Road, Ste H., Arlington Heights, IL 60005 USA Phone: 847-439-5667 Fax: 847-439-7320

www.intertek.com

The certificate and schedule are held in force by regular annual surveillance visits by Intertek Testing Services NA, Inc. and the reader or user should contact Intertek to validate its status. This certificate remains the property of Intertek Testing Services NA, Inc. and must be returned to them on demand. This Certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and stic Client. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this certificate. Only the Client is authorized to permit copying or distribution of this certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.



LISTING INFORMATION

PRODUCT COVERED

DALSAN COREX Type X Gypsum Boards

PRODUCT DESCRIPTION

5/8 in. (15.9mm) thick Type X Gypsum Boards suitable for use in construction applications where fire protection requirements are needed.

RATINGS

Standard	Rating
ASTM C1396/C1396M	Compliant
ASTM E136	Non-Combustible
14 S 1 M = 110	Fire Resistance Rating - 1 Hour
	Design Listing - DAL/GBF 60-01